

# Package ‘swisswatertemp’

August 19, 2019

**Type** Package

**Title** Swiss water temperature analysis

**Version** 1.0.0

**Author** Adrien Michel

**Maintainer** Adrien Michel <adrien.michel@epfl.ch>

**Description** This package allow to reproduce the analysis and results presented in: 'Stream temperature evolution in Switzerland over the last 50 years, Adrien Michel, Tristan Brauchli, Michael Lehning, Bettina Schaeffi, and Hendrik Huwald, 2019'.

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 6.1.1

**Imports** data.table, rgdal, sp, raster, zoo, gridExtra, GISTools, RColorBrewer, graphics, Hmisc, lubridate, Partiallyoverlapping

## R topics documented:

add_means . . . . .	2
add_meteo . . . . .	3
add_meteo_and_trim . . . . .	3
check_and_cut_variables . . . . .	4
compute_daily_means_over_period . . . . .	4
cut_all_data . . . . .	5
cut_data . . . . .	5
cut_full_year . . . . .	6
daily_mean_for_year . . . . .	6
genreal_analysis_plots . . . . .	7
get_data . . . . .	7
get_day . . . . .	8
get_file_data . . . . .	8
get_file_data_only . . . . .	9
get_hysteresis_data . . . . .	9
get_lm_summary . . . . .	10
get_lm_summary_printable . . . . .	11
get_month . . . . .	11
get_remainder_analysis . . . . .	12

get_STL_analysis . . . . .	12
get_STL_output . . . . .	13
get_timestep . . . . .	13
get_time_series . . . . .	14
get_year . . . . .	14
keep_subs_years_preprocessing . . . . .	15
plot_acf . . . . .	15
plot_alpine . . . . .	16
plot_correlations . . . . .	16
plot_general . . . . .	16
plot_general_situation . . . . .	17
plot_hysteresis . . . . .	17
plot_lakes . . . . .	18
plot_long_term . . . . .	18
plot_remainder_analysis . . . . .	19
plot_snow . . . . .	19
plot_stl . . . . .	20
plot_thresholds . . . . .	20
plot_time_series . . . . .	21
plot_trends . . . . .	21
plot_yearly_anomalies . . . . .	22
post_season_loess . . . . .	22
print_all_trends . . . . .	23
read_smet . . . . .	23
remove_bissextile . . . . .	24
smooth_circular . . . . .	24
smooth_daily_means_over_period . . . . .	25
swisswatertemp . . . . .	25
trim . . . . .	29

## Index 30

---

add_means	<i>Return a SMET_OBJECT with daily, monthly, seasonal, and yearly means added</i>
-----------	---

---

### Description

Return a SMET\_OBJECT with daily, monthly, seasonal and yearly means added. The `data.frame` added are `$daily` (daily means), `$monthly` (monthly means), `$yearly` (yearly means), `$DJF` (winter means), `$MAM` (spring means), `$JJA` (summer means), and `$SON` (fall means)

### Usage

```
add_means(data)
```

### Arguments

data	SMET_OBJECT
------	-------------

### Value

SMET\_OBJECT

---

add_meteo	<i>Add meteo data to SMET_OBJECT</i>
-----------	--------------------------------------

---

**Description**

Read SMET\_OBJECT , returns a SMET\_OBJECT with meteo stations indicated in \$meteo added as a SMET\_OBJECT object list in \$meteo\_ts.

**Usage**

```
add_meteo(data, meteo_data)
```

**Arguments**

data	SMET_OBJECT containing river data
meteo_data	SMET_OBJECT containing meteo data

**Value**

SMET\_OBJECT with meteo added as a SMET\_OBJECT object list \$meteo\_ts

---

add_meteo_and_trim	<i>Wrapper function</i>
--------------------	-------------------------

---

**Description**

Wrapper for [cut\\_all\\_data](#) and [add\\_meteo](#) functions

**Usage**

```
add_meteo_and_trim(data, meteo_data, start, end)
```

**Arguments**

data	A SMET_OBJECT with river data
meteo_data	A SMET_OBJECT with meteo data
start	Starting year to keep
end	Ending year to keep

**Value**

SMET\_OBJECT cut to the given dates with meteo data added

---

`check_and_cut_variables`*Check that variable and cut them to the same length*

---

**Description**

Check that both water temperature (T) and discharge (Q) are provided and cut the daily means of the two variables to have the same start and end

**Usage**

```
check_and_cut_variables(data)
```

**Arguments**

<code>data</code>	A SMET_OBJECT obtained through the function <a href="#">get_file_data</a> containing the data of one river station
-------------------	--

**Value**

A SMET\_OBJECT with only the `$data` part filled with the cut daily means T and Q time series.

---

`compute_daily_means_over_period`*Compute the mean of Julian days value over a period*

---

**Description**

Compute the day-of-the-year mean over a period of a given length in year. The day-of-the-year mean is the mean between each first of january, each second of january, and-so-on. The periods are taken from the end of the available data and as many periods as possible are taken.

**Usage**

```
compute_daily_means_over_period(data, period)
```

**Arguments**

<code>data</code>	A SMET_OBJECT obtained through the function <a href="#">get_file_data</a> containing the data of one river station
<code>period</code>	An integer representing the number of year over which the average should be computed

**Value**

A list with the period as key. Periods have the format "AAAA-BBBB" where AAAA is the starting year and BBBB the ending year. Each list element contains a [data.frame](#) with columns T and Q, which are the day-of-the-year mean over the period for the water temperature and the discharge.

---

cut_all_data	<i>Cut timeseries in a SMET_OBJECT</i>
--------------	--

---

**Description**

Read a SMET\_OBJECT, returns a SMET cut between the years indicated by start and end for the inner `data.frame` `$data`, `$daily`, `$monthly`, and `$yearly`

**Usage**

```
cut_all_data(data, start, end)
```

**Arguments**

data	SMET_OBJECT
start	Starting year to keep
end	Ending year to keep

**Value**

SMET\_OBJECT

---

cut_data	<i>Read a SMET_OBJECT object, returns a SMET cut between the years indicated by start and end</i>
----------	---

---

**Description**

Read a SMET\_OBJECT object, returns a SMET cut between the years indicated by start and end

**Usage**

```
cut_data(data, start, end)
```

**Arguments**

data	A SMET_OBJECT
start	Starting year to keep
end	Ending year to keep

**Value**

A SMET\_OBJECT where timeseries are cut between start and end

---

cut_full_year	<i>Cut SMET_OBJECT to only keep complete years</i>
---------------	--

---

### Description

Cut SMET\_OBJECT to only keep complete years (partial years at the beginning or at the end of the time series are removed)

### Usage

```
cut_full_year(data)
```

### Arguments

data	SMET_OBJECT
------	-------------

### Value

SMET\_OBJECT

---

daily_mean_for_year	<i>Compute the daily mean over a year</i>
---------------------	---

---

### Description

Compute the daily mean over a year for all raw variables in SMET\_OBJECT obtained through the function [get\\_file\\_data](#) (raw variables are stored in the \$data part of the SMET\_OBJECT).

### Usage

```
daily_mean_for_year(data, yr)
```

### Arguments

data	A SMET_OBJECT for a given station
yr	The year over which the data should be daily averaged

### Value

A [data.frame](#) the daily mean of each variables (the timestamp is removed).

---

 genreal\_analysis\_plots

*Plot variable distributions and compute t-tests*


---

### Description

This function produces the plots variable distributions as shown in Figures 5, 6, and 10 and in Figures S11 to S13 in supplementary. It also computes wilcox test shown in Table 2 and print the results to the console.

### Usage

```
genreal_analysis_plots(period, rivers_data)
```

### Arguments

period	A string, either "1999-2018", "1979-1998", "1979-2018", or "1970-2018" defining the period over which the plots and analysis should be produced
rivers_data	Either "NONE" (default), "PDF" or "PNG".

---

get\_data

*Read raw of river or meteo data*


---

### Description

Read raw of river or meteo data. Data can be read from files or from RDS data. All files to be read must be SMET files (see [https://models.slf.ch/docserver/meteoio/SMET\\_specifications.pdf](https://models.slf.ch/docserver/meteoio/SMET_specifications.pdf)). Returns a list of SMET\_OBJECT (see [get\\_file\\_data](#)), each entry corresponding to one station.

### Usage

```
get_data(list, path, type, RData = FALSE)
```

### Arguments

list	A list of lists. Each inner list contains the name of the file where the temperature and discharge data, or the meteoSwiss data, are located. If data to load are temperature and discharge data, a vector containing the three capital letters apreviation of the associated meteoSwiss stations must also be in the inner lists for each station.
path	The relative path the prepend to the files to be read.
type	Either "WATER" or "METEO" to specify if the data to be loaded are meteoSwiss data
RData	A RDS object to be loaded. If provided data won't be loaded from SMET files

### Value

A list of SMET object containing the data. The keys are the input files names (without extension).

---

get_day	Returns day from a PosixCT (or vector of PosixCT)
---------	---

---

**Description**

Returns day from a PosixCT (or vector of PosixCT)

**Usage**

```
get_day(timestamp)
```

**Arguments**

timestamp	A PosixCT or vector of PosixCT
-----------	--------------------------------

**Value**

The corresponding day (as numeric)

---

get_file_data	Read data from a SMET file, returns a SMET_OBJECT
---------------	---

---

**Description**

Read data from a SMET file, returns a SMET\_OBJECT with only full years, bissextile days removed, daily, monthly, seasonal, and yearly means computed optionally cut between indicated years, and optionally associated with a list of meteo stations.

**Usage**

```
get_file_data(file, start = NULL, end = NULL, meteo = NULL)
```

**Arguments**

file	Path of the SMET file to be loaded
start	Starting year to keep (default NULL)
end	Ending year to keep (default NULL)
meteo	Three capital letters apreviation of the associated meteoSwiss stations (default NULL)

**Details**

The inner data are \$header (SMET header), \$data (raw data), \$daily (daily means), \$monthly (monthly means), \$yearly (yearly means), \$DJF (winter means), \$MAM (spring means), \$JJA (summer means), and \$SON (fall means). The meteo station list is accessible through \$meteo.

**Value**

SMET\_OBJECT



---

get_file_data_only	<i>Read data from a SMET file, returns a SMET_OBJECT without means computed</i>
--------------------	---

---

### Description

Same as [get\\_file\\_data](#) but does not add the mean values.

### Usage

```
get_file_data_only(file, start = NULL, end = NULL, meteo = NULL)
```

### Arguments

file	Path of the SMET file to be loaded
start	Starting year to keep (default NULL)
end	Ending year to keep (default NULL)
meteo	Three capital letters apreviation of the associated meteoSwiss stations (default NULL)

### Value

A list of SMET object continning the data. The keys are the input files names (without extension).

---

get_hysteresis_data	<i>Produce hysteresis data</i>
---------------------	--------------------------------

---

### Description

Read data from a list of SMET\_OBJECT, which are obtained through the function [get\\_file\\_data](#) and contain the data of one river station. It keeps only subsequent years and compute necessary values for hysteresis plots (daily means over years and smoothed daily means over years)

### Usage

```
get_hysteresis_data(rivers_data, period, smoothing)
```

### Arguments

rivers_data	A list of SMET_OBJECT, which are obtained through the function <a href="#">get_file_data</a> and contain the data of one river station.
period	The lenght (in year) of the periods over which the hystheresis data should be computed
smoothing	The length (in day) of the moving average window to be applied

**Value**

The input SMET\_OBJECT whih a new list entry, "hysteresis", containing the hysteresis data. The hysteresis data are discharge and temperature values, averaged for each day of the year separately over various periods and smoothed with a circular moving average window. The new "hysteresis" antry of the SMET\_OBJECT contains a list where the keys are the periods (in the format "AAAA-BBBB" where AAAA is the starting year and BBBB the ending year) and the associated data are a [data.frame](#) containing discharge and temperature values.

---

get_lm_summary	<i>Return the summary of <a href="#">lm</a> model in a list of numeric values</i>
----------------	---

---

**Description**

The values retuned are obtained by using [summary](#) on the [lm](#) object

**Usage**

```
get_lm_summary(lm)
```

**Arguments**

lm	An object generated by <a href="#">lm</a>
----	---

**Value**

A list with the folowing entries, all as numeric:

intercept	The intercept value
trend	The trend value
intercept_std	The std error of the intercept value
trend_std	The std error of the trend value
intercept_p	The p-value of the intercept value
trend_p	The p-value of the trend value
r_squared	The $R^2$ value
adj_r_squared	Teh adjusted R $R^2$ value

---

```
get_lm_summary_printable
```

*Return the summary of `lm` model in a list of strings*

---

### Description

The values returned are obtained by using `summary` on the `lm` object

### Usage

```
get_lm_summary_printable(lm)
```

### Arguments

`lm`                    An object generated by `lm`

### Value

A list with the following entries, all as strings and rounded to significant digits:

<code>intercept</code>	The intercept value
<code>trend</code>	The trend value
<code>intercept_std</code>	The std error of the intercept value
<code>trend_std</code>	The std error of the trend value
<code>intercept_p</code>	The p-value of the intercept value
<code>trend_p</code>	The p-value of the trend value
<code>r_squared</code>	The $R^2$ value
<code>adj_r_squared</code>	The adjusted $R^2$ value

---

```
get_month
```

*Returns month from a PosixCT (or vector of PosixCT)*

---

### Description

Returns month from a PosixCT (or vector of PosixCT)

### Usage

```
get_month(timestamp)
```

### Arguments

`timestamp`            A PosixCT or vector of PosixCT

### Value

The corresponding month (as numeric)

---

get\_remainder\_analysis

*Perform analysis of the remainder of the STL*

---

### Description

Get the ACF and PACF for the remainder of the STL analysis. For meteorological stations, the CCF between the hydrological variable and the meteorological variable is also computed.

### Usage

```
get_remainder_analysis(STL_output, s_windows, version)
```

### Arguments

STL_output	List of output from the STL analysis, where keys are s.window values.
s_windows	Vector of s.window values for the stl analysis (see <code>link[stats]{stl}</code> )
version	"raw" or "post_seasons_loess" depending if a "post_seasons_loess" has been applied (which is the case when <code>get_STL_analysis</code> is run at daily time scale).

### Value

aa

---

get\_STL\_analysis

*General call to perform STL analysis.*

---

### Description

General call to perform STL analysis.

### Usage

```
get_STL_analysis(rivers_data, meteo_data, variable, s_win, frequency,
  start = NULL, end = NULL)
```

### Arguments

rivers_data	A SMET_OBJECT with river data
meteo_data	A SMET_OBJECT with meteo data
variable	Variable on which the STL analysis should be performed
s_win	Vector of s.window values for the stl analysis (see <code>link[stats]{stl}</code> )
frequency	Frequency of data to be used. "monthly" or "monthly".
start	Year to start the STL analysis (years before are cut). Default NULL.
end	Year to end the STL analysis (years after are cut). Default NULL.

**Value**

A list where each key is the station name and each value is a list. In this list each key is a value of `s.window`. The content in each list entry is the output of the STL analysis. In addition, the entry `$meteo` gives access to a list where keys are the meteo station three capital letters abbreviation and the content is a list with keys `s.window` containing the STL analysis for the meteorological variable.

---

get_STL_output	<i>Perform STL analysis</i>
----------------	-----------------------------

---

**Description**

Perform STL analysis for the given variable and the associated meteo variable (air temperature if the variable is water temperature and precipitation if the river variable is discharge)

**Usage**

```
get_STL_output(station_data, meteo_data, variable, s_win, frequency)
```

**Arguments**

station_data	A SMET_OBJECT with river data
meteo_data	A SMET_OBJECT with meteo data
variable	Variable on which the STL analysis should be performed
s_win	vector of <code>s.window</code> values for the stl analysis (see <code>link[stats]{stl}</code> )
frequency	Frequency of data to be used. "monthly" or "monthly".

**Value**

A list where each key is a value of `s.window`. The content in each list entry is the output of the STL analysis. In addition, the entry `$meteo` gives access to a list where keys are the meteo station three capital letters abbreviation and the content is a list with keys `s.window` containing the STL analysis for the meteorological variable.

---

get_timestep	<i>Returns the timestep of the timeseries in a SMET_OBJECT</i>
--------------	--

---

**Description**

Returns the timestep of the timeseries in a SMET\_OBJECT. An error is thrown if the timestep is not constant

**Usage**

```
get_timestep(data)
```

**Arguments**

data	SMET_OBJECT
------	-------------

**Value**

Timestep of the timeseries

---

get_time_series	<i>Convert data from SMET_OBJECT to ts objects</i>
-----------------	--

---

**Description**

Read a SMET\_OBJECT, returns a list of `data.frame` containing data as `ts` objects. Input `data.frames` are split into list of times series, each list entry being one variable.

**Usage**

```
get_time_series(data)
```

**Arguments**

data	A SMET_OBJECT
------	---------------

**Value**

A SMET\_OBJECT with all inner `data.frame` transformed into lists of `ts` objects

---

get_year	<i>Returns year from a PosixCT (or vector of PosixCT)</i>
----------	---

---

**Description**

Returns year from a PosixCT (or vector of PosixCT)

**Usage**

```
get_year(timestamp)
```

**Arguments**

timestamp	A PosixCT or vector of PosixCT
-----------	--------------------------------

**Value**

The corresponding year (as numeric)

---

 keep\_subs\_years\_preprocessing

*Filter tiem series for complete years*


---

### Description

Remove years starting or ending with NaN, kepps only subsequent years, starting from the end of the timeseries.

### Usage

```
keep_subs_years_preprocessing(data)
```

### Arguments

data                    A SMET\_OBJECT

### Value

A SMET\_OBJECT

---

 plot\_acf

*Plot acf and pacf of the residuals of the STL analysis*


---

### Description

This function plots the acf and pacf of the residuals of the STL analysis for the four variables T, Q, TA and P for the water station passed in parameters and the associated meteoSwiss stations. This produces the plots shown in Figures S5 and S6 in supplementary.

### Usage

```
plot_acf(station, output_type = "NONE")
```

### Arguments

station                A SMET object containing the data for one station

output\_type          Either "NONE" (default), "PDF" or "PNG".  
 output\_type = "NONE" creates the plot in a normal plot window (default),  
 output\_type = "PDF" saves the plot as pdf in plots/analysis/'station\_name'/,  
 output\_type = "PNG" saves the plot as png in plots/analysis/'station\_name'/,

---

plot_alpine	<i>Produces plot for alpine catchemts</i>
-------------	---

---

**Description**

This function produces plot for alpine catchments (Figure 14). The plots are saved in plots/alpine.pdf

**Usage**

```
plot_alpine(rivers_data)
```

**Arguments**

rivers_data	The dataset of rivers data
-------------	----------------------------

---

plot_correlations	<i>Print correlation matrices</i>
-------------------	-----------------------------------

---

**Description**

This function prints to the console the correlations matrices shown in Tables 4 and 5 and in Table S5 in supplementary.

**Usage**

```
plot_correlations(rivers_data)
```

**Arguments**

rivers_data	The dataset of rivers data
-------------	----------------------------

**Details**

Some additional plots nor present in the paper are also produced and saveud under plots/correlations\_plots.pdf

---

plot_general	<i>Produce general T and Q plot and variance plot</i>
--------------	---

---

**Description**

This function produces general T and Q plot (all teh catchments). The plot for T also contains a lower pannel showing the decadan anomalies (Figures 2 and 3). This function also produces the plot of the evolution of the infra-annual variability (Figure 16). Plots are written in the 'plots' directory. The plots are saved in plots/general\_plot.pdf, plots/general\_plot\_Q.pdf, and plots/annual\_var.pdf

**Usage**

```
plot_general(rivers_data)
```

**Arguments**

rivers_data	The dataset of rivers data
-------------	----------------------------



---

 plot\_general\_situation

*Plot a map with the location of the river station and meteostation used*


---

### Description

Plot a map with the location of the river station and meteostation used

### Usage

```
plot_general_situation(rivers_data, output_type = "NONE")
```

### Arguments

rivers_data	A list of SMET_OBJECT obtained through the function <a href="#">get_file_data</a> containing the data on the rivers stations
output_type	Either "NONE" (default), "PDF" or "PNG". output_type = "NONE" creates the plot in a normal plot window, output_type = "PDF" saves the plot as pdf under plots/General_situation.pdf, output_type = "PNG" saves the plot as png under plots/General_situation.png

### Requirements

This functions needs the following files to be available: maps/processed\_maps/swiss\_map.tif, maps/processed\_maps/lake\_maps/processed\_maps/rivers.shp, maps/processed\_maps/borders.shp, meteo/MeteoSwiss\_StationList.txt. In addition, the plot directory must exist.

---

 plot\_hysteresis

*Plot hysteresis*


---

### Description

This function plots the day-of-the -year decadal mean of Q and T for the given station along with the Q-T hysteresis plot. This function produces the plot shown in Figure 15

### Usage

```
plot_hysteresis(station, output_type = "NONE")
```

### Arguments

station	A SMET object containing the data for one station
output_type	Either "NONE" (default), "PDF" or "PNG". output_type = "NONE" creates the plot in a normal plot window (default), output_type = "PDF" saves the plot as pdf in plots/analysis/'station_name'/, output_type = "PNG" saves the plot as png in plots/analysis/'station_name'/,

---

plot_lakes	<i>Produces plots for lakes</i>
------------	---------------------------------

---

### Description

This function produces the plots for the trends before and after lakes, shown in Figure 7 and in Figures S14 to S17 in supplementary. Figures are saved under plots/lakes\_plots.pdf

### Usage

```
plot_lakes(rivers_data)
```

### Arguments

rivers_data	The dataset of rivers data
-------------	----------------------------

---

plot_long_term	<i>Produce long term anomaly plots</i>
----------------	--

---

### Description

This function produces the decadal anomalies plots (Figure 4 and Figure S9 in supplementary), seasonal decadal anomalies plots (Figure 8 and 9 and Figures S18 and S19 in supplementary) and hysteresis plots (Figure 15). These Figures are saved in plots/long\_term\_plots.pdf. This function also prints to the console the partially overlapping samples two-sided t-test (see section 4.1) and the figure showing discharge and precipitation decadal anomalies along with the NAO and AMO (Figure S10 in supplementary).

### Usage

```
plot_long_term(rivers_data, meteo_data)
```

### Arguments

rivers_data	The dataset of rivers data
meteo_data	The dataset of homogenous MeteoSwiss data

### Details

Note that plots of meteorological data use meteo stations related to water station except the long term precipitation decadal anomalies plot (Figure 4 and Figure S10 in supplementary), which uses all available homogenous MeteoSwiss data not necessarily linked to catchments (as stated in the paper).

---

plot_remainder_analysis	<i>Title</i>
-------------------------	--------------

---

**Description**

Title

**Usage**

```
plot_remainder_analysis(STL_output, s_windows, version, name)
```

**Arguments**

STL_output	a
s_windows	a
version	a
name	a

**Value**

a

---

plot_snow	<i>Produce snow cover and glacier mass balance plots</i>
-----------	--

---

**Description**

This function produces the monthly snow cover plots (Figures 12 and S21 in suplimentary) and the glaciers mass balance plot (Figure S23 in supplementary). The plots are saved in plots/snow\_plots.pdf

**Usage**

```
plot_snow(rivers_data)
```

**Arguments**

rivers_data	The dataset of rivers data
-------------	----------------------------

---

plot_stl	<i>Plot component of STL for one station</i>
----------	--

---

### Description

This function plots the component of the STL for the four variables T, Q, TA and P for the water station passed in parameters and the associated meteoSwiss stations. This produces the plots shown in Figures S1 to S4 in supplementary.

### Usage

```
plot_stl(station, output_type = "NONE")
```

### Arguments

station	A SMET object containing the data for one station
output_type	Either "NONE" (default), "PDF" or "PNG". output_type = "NONE" creates the plot in a normal plot window, output_type = "PDF" saves the plot as pdf under plots/General_situation.pdf, output_type = "PNG" saves the plot as png under plots/General_situation.png

---

plot_thresholds	<i>Returns plots for the 15C and 25C thresholds analysis</i>
-----------------	--

---

### Description

This function return plots for the 15C and 25C thresholds analysis shown in Figures 17 and 18 and in Figure S24. PLOts are saved under plots/25\_degs.pdf and plots/15\_degs.pdf

### Usage

```
plot_thresholds(rivers_data, rivers_data_1h)
```

### Arguments

rivers_data	The dataset of rivers data
rivers_data_1h	The dataset of rivers data at 1 hour resolution

---

plot\_time\_series      *Plot time series and means*

---

### Description

This function produces plots for time series and monthly and annual means for the given station and for the variables T, Q, TA, P. These plots are not used in the paper.

### Usage

```
plot_time_series(station, output_type = "NONE")
```

### Arguments

station	A SMET object containing the data for one station
output_type	Either "NONE" (default), "PDF" or "PNG". output_type = "NONE" creates the plot in a normal plot window (default), output_type = "PDF" saves the plot as pdf in plots/analysis/'station_name'/, output_type = "PNG" saves the plot as png in plots/analysis/'station_name'/,

---

plot\_trends      *Plot time series and trends*

---

### Description

This function produces plots for time series and trends for the given station and for the variables T, Q, TA, P. These plots are not used in the paper.

### Usage

```
plot_trends(station, output_type = "NONE")
```

### Arguments

station	A SMET object containing the data for one station
output_type	Either "NONE" (default), "PDF" or "PNG". output_type = "NONE" creates the plot in a normal plot window (default), output_type = "PDF" saves the plot as pdf in plots/analysis/'station_name'/, output_type = "PNG" saves the plot as png in plots/analysis/'station_name'/,

---

plot\_yearly\_anomalies *Plot yearly seasonal anomalies*

---

**Description**

This function plots the yearly seasonal anomalies for T, Q, TA and P shown in Figures 11 and 13 and in Figures S20 and S22 in supplementary. The figures are saved under plots/summer\_anomalies.pdf, plots/winter\_anomalies.pdf, plots/spring\_anomalies.pdf, and plots/fall\_anomalies.pdf

**Usage**

```
plot_yearly_anomalies(rivers_data)
```

**Arguments**

rivers\_data      The dataset of rivers data

---

post\_season\_loess      *Do an additional Loess fitting on the STL analysis*

---

**Description**

Do an additional Loess fitting on the STL analysis seasonal signal as suggested in R. B. Cleveland, W. S. Cleveland, J.E. McRae, and I. Terpenning (1990) STL: A Seasonal-Trend Decomposition Procedure Based on Loess. *Journal of Official Statistics*, 6, 3–73

**Usage**

```
post_season_loess(stl_input, s_win)
```

**Arguments**

stl\_input      List of stl analysis output, keys being the used s.window values  
s\_win          Vector of s.window values for the stl analysis (see `link[stats]{stl}`)

**Value**

List of stl analysis output, keys being the used s.window values

---

print_all_trends	<i>Print trends table in Latex format</i>
------------------	---

---

### Description

This function prints to the console the trends table shown in Tables A1 and A2 in appendix and in Tables S1 and S2 in supplementary. The tables are printed in latex format

### Usage

```
print_all_trends(rivers_data, meteo_data)
```

### Arguments

rivers_data	The dataset of rivers data
meteo_data	The dataset of homegenous MeteoSwiss data

---

read_smet	<i>Read SMET file, returns a SMET object (a list)</i>
-----------	---

---

### Description

Read SMET file, returns a SMET object (a list). The SMET\_OBJECT has the following structure:

\$header The header information, based on smet header value

\$data A [data.frame](#) containing read data, column names from SMET header, timestamp as PosixCT

### Usage

```
read_smet(file_name)
```

### Arguments

file_name	String containing the path th file to read
-----------	--

### Value

A SMET\_OBJECT containing the data

---

remove_bissextile	<i>Remove 29th of february from a SMET_OBJECT</i>
-------------------	---

---

**Description**

Remove 29th of february from a SMET\_OBJECT

**Usage**

```
remove_bissextile(data)
```

**Arguments**

data	SMET_OBJECT
------	-------------

**Value**

SMET\_OBJECT with 29th of February removed

---

smooth_circular	<i>Compute a circular moving window average over all columns of a <a href="#">data.frame</a> containing daily data over a year (365 data)</i>
-----------------	---

---

**Description**

Compute a circular moving window average over all columns of a [data.frame](#) containing daily data over a year (365 data)

**Usage**

```
smooth_circular(year_daily_means, smooth_time)
```

**Arguments**

year_daily_means	A <a href="#">data.frame</a> with numeric values containing daily data over a year (365 data)
smooth_time	The window to be used for the moving average

**Value**

The [data.frame](#) smoothed



---

smooth\_daily\_means\_over\_period  
*Function wrapper for [smooth\\_circular](#)*

---

### Description

Wrapper for [smooth\\_circular](#) to call it over all the periods defined in [compute\\_daily\\_means\\_over\\_period](#)

### Usage

```
smooth_daily_means_over_period(daily_means, smooth_time)
```

### Arguments

daily_means	A list of <a href="#">data.frame</a> . Each <a href="#">data.frame</a> is made of numeric values and contains daily data over a year (365 data)
smooth_time	The window to be used for the moving average

### Value

A list where each key is one time period. List entries are [data.frame](#) of daily mean data circularly smoothed over the period used as key. Periods have the format "AAAA-BBBB" where AAAA is the starting year and BBBB the ending year

---

swisswatertemp	<i>swisswatertemp: A package to produce results presented in 'Stream temperature evolution in Switzerland over the last 50 years, Adrien Michel, Tristan Brauchli, Michael Lehning, Bettina Schaepli, and Hendrik Huwald, 2019'</i>
----------------	---

---

### Description

The swisswatertemp package is divided in two main parts: one is responsible to generate the dataset, and one to perform the analysis and produce plots.

### Produce the data sets

The data set can be produced from raw data in a SMET format. Raw data are not provided here. The details about how to get the raw data and the scripts to transform them in the SMET format are given in the directory 1\_Obtain\_raw\_data. Once the raw data are in the correct SMET format, the dataset can be generated by running Preprocessing.R in the 3\_Produce\_data directory. These steps are not mandatory, the datasets are indeed already available in 4\_Run\_analysis/data/rds\_data. Metadata can be found in the excel table 3\_Produce\_data/data/discharge\_gauging\_station.xlsx

## Description of data sets

Produced data sets have the general structure described below. Some data sets produced have only part of it. Structure of the data set:

```
["station name"]
|--header
  |--station_id = station number
  |--station_name = station name
  |--latitude: WG94 latitude
  |--longitude: WG94 longitude
  |--easting: CH1903 easting
  |--northing: CH1903 nothing
  |--altitude: altitude of the station
  |--operator: source of the data
  |--river: name of the river
  |--area: area of the catchment at the station
  |--mean_elevation: mean elevation of the catchment
  |--glacier_percent: percentage of the catchment glacier covered
  |--regime1: hydrological regime (classical)
  |--regime2: hydrological regime with regards to location
  |--regime3: Hydrological regime (following Aschwanden 1985, different from HADES 5.2)
  |--nodata: no data value used
  |--tz: timezone
  |--fields: variables in the [data] table
|--data: raw data
  |--timestamp: timestamp of the measurement as R date
  |--T: measured temperature (°C)
  |--Q: measured discharge (m3/s)
|--[monthly, yearly, DJF, MAM, JJA or SON]: data averaged over the given period
  |--[T Q]
    |--timestamp: timestamp in decimal year
    |--values: raw data averaged over the indicated period
    |--lm: output from linear model applied to trend + remainder
      |--["1999-2018" "1979-1998" "1979-2018" "1970-2018"] Periods over which
        trend is calculated, not necessarily all available
      |--timestamp: timestamp over the used period
      |--values: raw data over the given period
      |--trend: slope from linear model
      |--trend_std: std error of the trend value
      |--trend_p: p_value of the trend value
      |--intercept: intercept value from linear model
      |--intercept_std: std error of the intercept value
      |--intercept_p: p_value the of intercept value
      |--r_squared: r^2
      |--adj_r_squared: adjusted r^2
      |--printable:
        |--[trend, trend_std, trend_p, intercept, intercept_std, intercept_p,
          r_squared, adj_r_squared]: Same value as above but as string in "e" notation for display
  |--hysteresis:
    |--[daily_mean or daily_mean_smoothed]: daily decadal mean, with or without
      smoothing (smoothed data is used in QT plots)
    |--["from_to" in years, e.g. "2009_1018"]
```

```

|--T: temperature values(°C), 365 values
|--Q: discharge values(m3/s), 365 values
|--meteo: attached meteo data
|--[[station name]]
|--header:
|--station_id = station ID
|--station_name = station name, same as ID
|--latitude: WG94 latitude
|--longitude: WG94 longitude
|--easting: CH1903 easting
|--northing: CH1903 nothing
|--altitude: altitude of the station
|--nodata: no data value used
|--source: source of the meteodata
|--tz: timezone
|--fields: variables in the [data] table
|--data: raw meteo data
|--timestamp: timestamp of the measurement as R date
|--[TA, P, TA_HOM, P_HOM, HS6, HS18, HSAUTO06, HSAUTO18]: available meteo variables
|--[monthly, yearly, DJF, MAM, JJA or SON]: data averaged over the given period
|--[[TA,P]
|--timestamp: timestamp in decimal year
|--values: raw data averaged over the indicated period
|--lm: output from linear model applied to trend + remainder
|--["1999-2018" "1979-1998" "1979-2018" "1970-2018"] Periods over which
    trend is calculated, not necessarily all available
|--timestamp: timestamps over the used period
|--values: raw data over the given period
|--trend: slope from linear model
|--trend_std: std error of the trend value
|--trend_p: p_value of the trend value
|--intercept: intercept value from linear model
|--intercept_std: std error of the intercept value
|--intercept_p: p_value the of intercept value
|--r_squared: r^2
|--adj_r_squared: adjusted r^2
|--printable:
|--[trend, trend_std, trend_p, intercept, intercept_std, intercept_p,
    r_squared, adj_r_squared]: Same value as above but as string in "e" notation for display
|--STL
|--[T or Q]
|--timestamp: date, in decimal years
|--seasonal: seasonal component from STL
|--trend: trend from STL
|--remainder: remainders from STL
|--raw: raw data used for STL
|--acf: acf analysis as R acf object
|--pacf: pacf analysis as R pacf object
|--lm: output from linear model applied to trend + remainder
|--["1999-2018" "1979-1998" "1979-2018" "1970-2018"] Periods over which
    trend is calculated, not necessarily all available
|--timestamp: timestamp over the used period

```

```

|--values: raw data over the given period
|--trend: slope from linear model
|--trend_std: std error of the trend value
|--trend_p: p_value of the trend value
|--intercept: intercept value from linear model
|--intercept_std: std error of the intercept value
|--intercept_p: p_value the of intercept value
|--r_squared: r^2
|--adj_r_squared: adjusted r^2
|--printable:
  |--[trend, trend_std, trend_p, intercept, intercept_std, intercept_p,
    r_squared, adj_r_squared]: Same value as above but as string in "e" notation for display
|--meteo
  |--[station name]
  |--[TA or P]
    |--timestamp: date, in decimal years
    |--seasonal: seasonal component from STL
    |--trend: trend from STL
    |--remainder: remainders from STL
    |--raw: raw data used for STL
    |--acf: acf analysis as R acf object
    |--pacf: pacf analysis as R pacf object
  |--ccf: ccf analysis (between meteo and river data T-TA and Q-P) as R ccf object
  |--lm: output from linear model applied to trend + remainder
    |--["1999-2018" "1979-1998" "1979-2018" "1970-2018"] Periods over
      which trend is calculated, not necessarily all available
    |--timestamp: timestamp over the used period
    |--values: raw data over the given period
    |--trend: slope from linear model
    |--trend_std: std error of the trend value
    |--trend_p: p_value of the trend value
    |--intercept: intercept value from linear model
    |--intercept_std: std error of the intercept value
    |--intercept_p: p_value the of intercept value
    |--r_squared: r^2
    |--adj_r_squared: adjusted r^2
    |--printable:
      |--[trend, trend_std, trend_p, intercept, intercept_std,
        intercept_p, r_squared, adj_r_squared]: Same value as above
        but as string in "e" notation for display

```

### Usage of the data sets

Entries can be accessed following the structure describes above and with double brackets `[[ "entry name here" ]]` (the name should be between quote marks), or with the `"$"` signe (in this case no quote mark is needed except in the names contains special character).

If a variable containing the name of the entry to be accesses is used, double brackets should be used `[[var]]`, note that `$var` will not work (text after `$` is taken as string, i.e. variable will not be accessed).

Examples:

- 1) `rivers_data[["Aare-Brienzwiler"]][["STL"]][["meteo"]][["GRH"]][["TA"]][["trend"]]`  
or  
`rivers_data$"Aare-Brienzwiler"$STL$meteo$GRH$TA$trend`  
are equivalent and return the trend component of the meteo station GRH linked to the Aare-Brienzwiler water station.
- 2) Note that the function "names" is useful to retrieve the next entries at a given entry level. E.g. `names(rivers_data$"Aare-Brienzwiler"$meteo)` returns a list of the names of meteo station attached to the Aare-Brienzwiler river station.
- 3) `for (river_station in names(rivers_data))`  
will loop over all stations names which are stored in `river_station`. Data can be thus accessed through: `rivers_data[[river_station]]$...`  
For example `rivers_data[[river_station]]$header$mean_elevation`, if in the above loop, will return the mean elevation for each catchment.

---

 trim

*Trim spaces in string*


---

### Description

Trim spaces in string

### Usage

```
trim(x)
```

### Arguments

x                    A string

### Value

Input string with leading or trailing spaces removed

### Source

Function taken from <https://stackoverflow.com/questions/2261079/how-to-trim-leading-and-trailing-wh>

# Index

add\_means, 2  
add\_meteo, 3, 3  
add\_meteo\_and\_trim, 3  
  
check\_and\_cut\_variables, 4  
compute\_daily\_means\_over\_period, 4, 25  
cut\_all\_data, 3, 5  
cut\_data, 5  
cut\_full\_year, 6  
  
daily\_mean\_for\_year, 6  
data.frame, 2, 4–6, 10, 14, 23–25  
  
genreal\_analysis\_plots, 7  
get\_data, 7  
get\_day, 8  
get\_file\_data, 4, 6, 7, 8, 9, 17  
get\_file\_data\_only, 9  
get\_hysteresis\_data, 9  
get\_lm\_summary, 10  
get\_lm\_summary\_printable, 11  
get\_month, 11  
get\_remainder\_analysis, 12  
get\_STL\_analysis, 12, 12  
get\_STL\_output, 13  
get\_time\_series, 14  
get\_timestep, 13  
get\_year, 14  
  
keep\_subs\_years\_preprocessing, 15  
  
lm, 10, 11  
  
plot\_acf, 15  
plot\_alpine, 16  
plot\_correlations, 16  
plot\_general, 16  
plot\_general\_situation, 17  
plot\_hysteresis, 17  
plot\_lakes, 18  
plot\_long\_term, 18  
plot\_remainder\_analysis, 19  
plot\_snow, 19  
plot\_stl, 20  
plot\_thresholds, 20  
  
plot\_time\_series, 21  
plot\_trends, 21  
plot\_yearly\_anomalies, 22  
post\_season\_loess, 22  
print\_all\_trends, 23  
  
read\_smet, 23  
remove\_bissextile, 24  
  
smooth\_circular, 24, 25  
smooth\_daily\_means\_over\_period, 25  
summary, 10, 11  
swisswatertemp, 25  
swisswatertemp-package  
    (swisswatertemp), 25  
  
trim, 29  
ts, 14